

1. Compatibility of the WRETEX A67 Intensive Cleaner with different materials

Material	Resistance of the material at low exposure time (10-30 min)	resistance of the material at long exposure time (24 h)	Comments
PU paint	✓	✗	minor burns after 24 h
Acrylic paint	✓	✗	minor burns after 24 h
Aluminium	✗	✗	rapid chemical reaction
Stainless Steel	✓	✓	no noticeable changes
Teak	n/a	✗	stained, dark
Artificial Teak	✓	✓	no noticeable changes
Sealing (PU)	✓	✓	no noticeable changes
Zinc	✗	✗	

Alkali-sensitive materials such as light metals, tin, zinc and non-ferrous metals may be attacked. Preliminary tests on the resistance of these parts are recommended.